

HANG TAGS

PLASTIC TAGS

The tags are made of white material of high smoothness. Both of the tag's sides are suitable for thermal transfer printing. The uniform surface provides high contrast for barcode scanners. The thermal transfer overprint made with the resin ribbon is resistant to weather conditions (rain, UV rays, temperature), dust, dirt, chemical solvents as well as mechanical abrasion. **Etisoft's offer includes materials certified for direct contact with food.**



APPLICATIONS

The loop-shaped tags are used in gardening, forestry and botanical gardens for marking of flowers, bushes and trees. The label, resistant to weather conditions and mechanical damage, provides legible identification of seedlings for many years.

A loop-shaped tag is widely used for marking of cables and cable bunches.



RECOMMENDED FOR PRINTING

PRINTERS

CITIZEN THERMAL TRANSFER PRINTERS



THERMAL TRANSFER RIBBONS

RESIN RIBBONS
RESIN SP



RECOMMENDED MATERIALS

ETI-TAG

Material with no adhesive, thickness 150-250 μm

The tags are made of white material of high smoothness (other color versions are also available). Both sides of the label are suitable for thermal transfer printing. The uniform surface provides high contrast for barcode scanners. The overprint with resin ribbon is resistant to all weather conditions (rain, UV rays and temperature), dust, dirt, chemical solvents and abrasion.

ETI-TAGS available (on stock):
- Polyester: ETI-PET 150 i ETI-PET 250
- Polyethylene: ETI-PE 150

ETI-TAGS upon request:
- TYVEK
- PVC
- VALERON
- POLYPROPYLENE

